

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7348	(716/2,5-7,8-17).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:16
L2	3477	(326/37-39,41).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:17
L3	16678	pld	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:17
L4	0	user near (specified or defined or predefined or determined) near routing near constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:18
S1	2	pld same resource same (user adj2 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:25
S2	5	pld same (user adj2 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 10:44
S3	25	pld same resource same constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:20
S4	25	pld same resource same constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:25

EAST Search History

S5	632	pld same resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:25
S6	47	pld same resource same map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:57
S7	25	constraint and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:59
S8	17	option and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:59
S9	2	"6817005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 12:34
S10	2	((programmable adj logic adj device) or pld) same resource same (user adj2 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:43
S11	2217	(user adj3 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:43
S12	33342	pld or fpga	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:44

EAST Search History

S13	1114	layout and eda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:44
S14	368	soft adj4 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:44
S15	282	soft adj constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:44
S16	0	S13 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:45
S17	5	S12 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:50
S18	148	S12 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:51
S19	9	S13 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:01
S20	1147	rou\$3 adj4 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:01

EAST Search History

S21	1842	rou\$3 adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:01
S22	1622	(rou\$3 adj option) or (rou\$3 adj strategy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:03
S23	206	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:03
S24	2	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:03
S25	1363	user adj2 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:00
S26	422	routing adj2 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:00
S27	268	placement adj2 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:00
S28	22	S25 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:20

EAST Search History

S29	836	routing adj6 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:21
S30	6	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:21
S31	17	(rout\$3 adj constraint) same resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:26
S32	0	(category adj3 rout\$3 adj3 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:26
S33	0	(category adj3 rout\$3 adj3 resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:26
S34	72	(type adj3 rout\$3 adj3 resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:26
S35	4	user adj3 rout\$3 adj3 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:42
S36	0	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:27

EAST Search History

S37	654	rou\$3 adj3 strategy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:41
S38	1922	rou\$3 adj3 option	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:41
S39	2545	S37 or S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:42
S40	886	rou\$3 adj3 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:42
S41	65	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:28
S42	381	threshold adj4 option	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:29
S43	53	(threshold adj4 option) and constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:29
S44	308	soft adj constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:05

EAST Search History

S45	11876	eda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:05
S46	2	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:06
S47	134	user adj defined adj constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:11
S48	198	user adj specified adj constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:08
S49	4	user adj determined adj constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:09
S50	329	S47 or S48 or S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:08
S51	576	user adj2 defined adj2 (region or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:08
S52	717	user adj2 specified adj2 (region or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:09

EAST Search History

S53	248	user adj2 determined adj2 (region or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:09
S54	1484	S51 or S52 or S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:09
S55	9	S50 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:10
S56	4	user adj2 placement adj2 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 11:02
S57	1	user adj2 routing adj2 constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 11:02
S58	0	(routing adj resource) with (user adj4 routing adj constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:27
S59	3	(routing adj resource) with (routing adj constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:33
S60	41	(routing adj resource) and (routing adj constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:40

EAST Search History

S61	3	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:39
S62	954	user adj3 specif\$4 adj4 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:39
S63	0	(routing adj resource) and (user adj4 specified adj4 routing adj4 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:41
S64	0	(user adj4 specified adj4 routing adj4 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:41
S65	5	(user adj4 routing adj4 constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:51
S66	12343	eda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:47
S67	2	S65 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:47
S68	216337	constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:51

EAST Search History

S69	2	S65 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:52
S70	5	S65 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:54
S71	676461	threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:54
S72	0	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:54
S73	0	rou\$3 adj4 strategy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:02
S74	894	rou\$3 adj4 strategy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:02
S75	1	S60 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:02

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(programmable and logic and device and location and user and defined and region and constraint and placement and design and tool and independent and routing and resource).clm.	US-PGPUB; USPAT	OR	ON	2006/10/19 14:20

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

Nothing Found

Your search for **+"user defined routing constraint"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used user specified routing constraint

Found 1 of 186,958

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 1 of 1

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Minimization of test cost and power: A routability constrained scan chain ordering technique for test power reduction](#)



X.-L. Huang, J.-L. Huang

 January 2006 **Proceedings of the 2006 conference on Asia South Pacific design automation ASP-DAC '06**

Publisher: ACM Press

 Full text available: pdf(179.86 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

For scan-based testing, the high test power consumption may cause test power management problems, and the extra scan chain connections may cause routability degradation during the physical design stage. In this paper, a scan chain ordering technique for test power reduction under user-specified routability constraints is presented. The proposed technique allows the user to explicitly set the routing constraints and the achievable power reduction is rather insensitive to the routing constraints. ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

Nothing Found

Your search for **+"user determined routing constraint"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((user specified routing constraint))<in>metadata)"

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspect[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –



Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((user defined routing constraint))<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((user defined routing constraint))<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((user determined routing constraint))<in>metadata)"

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

[Sign in](#)

[Go to Google Home](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"user specified routing constraint"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 6 of about 9 for "**user specified routing constraint**". (0.85 seconds)

Tip: Try removing quotes from your search to get more results.

The 11th Asia and South Pacific Design Automation Conference ...

... is applied to six industrial designs. The achievable power reduction is in the range of 37-48% without violating any **user-specified routing constraint**. ...

www2.infonets.hiroshima-u.ac.jp/aspdac/program/7A_abst.html - 9k -

[Cached](#) - [Similar pages](#)

A routability constrained scan chain ordering technique for test ...

The achievable power reduction is in the range of 37-48% without violating any **user-specified routing constraint**. REFERENCES ...

portal.acm.org/citation.cfm?id=1118299.1118453 - [Similar pages](#)

Welcome to IEEE Xplore 2.0: A routability constrained scan chain ...

The achievable power reduction is in the range of 37-48% without violating any **user-specified routing constraint**. Index Terms ...

[ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=33561&](http://ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=33561&arnumber=1594759&count=177&index=124)

[arnumber=1594759&count=177&index=124](http://ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=33561&arnumber=1594759&count=177&index=124) - [Similar pages](#)

[PDF] A Routability Constrained Scan Chain Ordering Technique for Test ...

File Format: PDF/Adobe Acrobat

without violating any **user-specified routing constraint**. I. I. INTRODUCTION. The growing IC capacity and complexity have caused sev- ...

[ieeexplore.ieee.org/iel5/10626/33561/01594759.pdf?](http://ieeexplore.ieee.org/iel5/10626/33561/01594759.pdf?isnumber=33561&prod=CNF&arnumber=1594759&ar...)

[isnumber=33561&prod=CNF&arnumber=1594759&ar...](http://ieeexplore.ieee.org/iel5/10626/33561/01594759.pdf?isnumber=33561&prod=CNF&arnumber=1594759&ar...) - [Similar pages](#)

Archives : 11th Asia and South Pacific Design Automation ...

The achievable power reduction is in the range of 37-48% without violating any **user-specified routing constraint**. Slides (pdf file), 7A-1 ...

www.aspdac.com/aspdac2006/archives/7a/index.html - 12k - [Cached](#) - [Similar pages](#)

[PDF] A Routability Constrained Scan Chain Ordering Technique for Test ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

violating any **user-specified routing constraint**. q. Advantages:. -. No negative impact on the test time and fault coverage ...

www.aspdac.com/aspdac2006/archives/pdf/7A-1.pdf - [Similar pages](#)

[[More results from www.aspdac.com](#)]

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Speed up the web. [Download the Google Web Accelerator](#).

"user specified routing constraint"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google